SINUS

Zukunft schreibt man mit E

Laut Bundesumweltamt* entstehen aktuell 82 Prozent der CO2-Emissionen durch unsere Mobilität im Alltag. Während ein Auto bei einem innerstädtischen Weg von knapp zehn Kilometern 472 kg CO2 ausstößt, sind es beim E-Bike nur 13 kg. Gerade in der Stadt spricht also alles fürs Umsteigen. Zum Beispiel auf eines unserer neuen SINUS Modelle mit integrierten Intube Akkus, die dafür sorgen, dass unsere neuen SINUS Modelle nicht nur gut für die Umwelt und äußerst komfortabel sind, sondern auch echte Hingucker.

The future is spelled with an "e"

According to the German Federal Environment Agency, everyday mobility generates 82 percent of CO2 emissions today. In a life cycle assessment, a car emits around 472 kg CO2 per ten kilometers of urban driving, while the figure for an e-bike is just 13 kg. Especially in the city, everything points towards making a switch – to our new SINUS models, for example. Their intube batteries are integrated into their tubular frames. These models are not only good for the environment and extremely comfortable; they also have real eye-catching designs.*

*www.mein-klimaschutz.de


SI
NU
S

SINUS iX

KEY FEATURES

- Leistungsstarker Bosch Performance CX Gen4 Motor
- Kleinere 27.5" Laufräder mit breiteren Reifen für Wald- und Feldwege
- Option zur Erweiterung der Reichweite bis zu 1000Wh
- MRS kompatibel

BENEFITS

- Leistungsstarke Unterstützung beim Fahren
- Maximaler Komfort auf jedem Untergrund
- Größere Reichweite ohne Aufladen
- Einfaches Befestigen von weiterem Zubehör

KEY FEATURES

- *Strong Bosch Performance CX Gen4 Motor*
- *Smaller wheels 27,5" with wider tires for forest and field lanes*
- *Range extender option for up to 1000Wh*
- *MRS compatible*

BENEFITS

- *Powerful support while cycling*
- *Maximize comfort on every ground*
- *Higher range without charging*
- *Easy adjustment with additional equipment*

MRS
MODULAR RAIL SYSTEM

GERMAN DESIGN AWARD NOMINEE 2019

Sinus iX12 iX10

- Sinus iX Modelle mit integriertem MRS
- Kompatibel mit allen MRS Teilen
- Für alle Rahmen (Herren, Damen, Einrohr) und Rahmengrößen erhältlich
- Zusätzliche Flaschenhalter Befestigung (64mm) für Herren und Damenmodelle

- *Sinus iX models with integrated MRS*
- *Compatible with all existing MRS parts*
- *Available on all frames (gent, lady, wave) and sizes*
- *Additional bottle cage mount (64mm) for gent and lady*

Unser **patentiertes MRS** ermöglicht es, verschiedenes Zubehör schnell und einfach am Bike zu befestigen. Eine Befestigungsschiene ist an der Oberseite des Unterrohrs integriert, in der z. B. eine **Trinkflasche** oder **Tasche** an frei wählbarer Position montiert werden kann. Somit haben Sie alle Utensilien, die Sie während einer Fahrt benötigen, immer in Griffweite.

*Our **patented MRS** allows various accessories to be attached to the bike quickly and easily. A fastening rail is integrated into the upper side of the down tube and allows a **drinking bottle** or **bag** to be mounted in any desired position. This means the tools you need during a trip are always within reach.*

RANGE EXTENDER*

Perfekt für lange Touren: Mit nur wenigen Handgriffen kann ein zusätzlicher PowerPack-Akku installiert werden. Somit kann eine deutlich höhere Reichweite mit bis zu 1.000 Wh erreicht werden.

Perfect for long tours: An additional PowerPack battery can be mounted in just a few steps. This enables achieving a significant higher reach with up to 1.000 Wh.

Sinus iX12 Monotube
mit/with RANGE EXTENDER
(*optional)

SINUS

Sinus iX12

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano SLX M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Bremshebel / Brake lever	Shimano Deore XT T8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT T8000, hydraulic disc brake, 180mm
Bremse hinten / Brake rear	Shimano Deore XT T8000, hydraulic disc brake, 160mm
Reifen / Tyres	Schwalbe Smart Sam, 57-584, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT500
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR8 E, 50 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	Eurofender Winora schwarz matt, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | 2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	48 cm	4442001048	metallic sand matte
Men	27.5"	52 cm	4442001052	metallic sand matte
Men	27.5"	56 cm	4442001056	metallic sand matte
Men	27.5"	60 cm	4442001060	metallic sand matte
Women	27.5"	44 cm	4442011044	metallic sand matte
Women	27.5"	48 cm	4442011048	metallic sand matte
Women	27.5"	52 cm	4442011052	metallic sand matte
Monotube	27.5"	46 cm	4442021046	metallic sand matte
Monotube	27.5"	50 cm	4442021050	metallic sand matte
Monotube	27.5"	54 cm	4442021054	metallic sand matte

SINUS

Sinus iX10

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	Eurofender Winora schwarz matt, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | 2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	48 cm	4441001048	concrete
Men	27.5"	52 cm	4441001052	concrete
Men	27.5"	56 cm	4441001056	concrete
Men	27.5"	60 cm	4441001060	concrete
Women	27.5"	44 cm	4441011044	concrete
Women	27.5"	48 cm	4441011048	concrete
Women	27.5"	52 cm	4441011052	concrete
Monotube	27.5"	46 cm	4441021046	concrete
Monotube	27.5"	50 cm	4441021050	concrete
Monotube	27.5"	54 cm	4441021054	concrete

SINUS i-Serie

KEY FEATURES

- Steifer Rahmen, breite Reifen und niedriger Schwerpunkt
- Integrierte Batterie
- Bewährte Motoreinheiten
- Racktime Trägersystem

BENEFITS

- Super sicheres, stabiles Fahrgefühl
- Einfacher Zugang zum Ladeport, Schloß etc.
- Lange Lebensdauer, niedriger Wartungsaufwand
- Problemloses Befestigen von Zubehör (individuell je nach Kundenwunsch)

***KEY** FEATURES*

- *Stiff frame, wide tires and low gravity center*
- *Integrated Battery*
- *Proven motor units*
- *Racktime Carrier System*

BENEFITS

- *Super safe, stable riding feeling*
- *Easy access to chargeport, lock etc.*
- *Long lifetime, less service*
- *Easy accessory-mount (and personalizing to the consumer usage)*

SINUS

Sinus i10

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Kiox
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Delta Cruiser Plus, 47-622, puncture protection
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	aluminium hub
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Myc, 50 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4426010048	black matt
Men	28"	52 cm	4426010052	black matt
Men	28"	56 cm	4426010056	black matt
Men	28"	60 cm	4426010060	black matt
Women	28"	44 cm	4426110044	black matt
Women	28"	48 cm	4426110048	black matt
Women	28"	52 cm	4426110052	black matt
Monotube	28"	46 cm	4426510046	black matt
Monotube	28"	50 cm	4426510050	black matt
Monotube	28"	54 cm	4426510054	black matt

SINUS

Sinus i9

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Deore M591, 9-speed
Schalthebel / Shift lever	Shimano Altus M2000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-34 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Tektro T285, aluminium
Bremse vorne / Brake front	Tektro T285, 180mm
Bremse hinten / Brake rear	Tektro T285, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Sinus aluminium hub
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.1kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4429009848	titanium
Men	28"	52 cm	4429009852	titanium
Men	28"	56 cm	4429009856	titanium
Men	28"	60 cm	4429009860	titanium
Women	28"	44 cm	4429109844	titanium
Women	28"	48 cm	4429109848	titanium
Women	28"	52 cm	4429109852	titanium
Women	28"	56 cm	4429109856	titanium
Monotube	28"	46 cm	4429709946	titanium
Monotube	28"	50 cm	4429709950	titanium
Monotube	28"	54 cm	4429709954	titanium
Monotube	26"	46 cm	4429509946	titanium

SINUS

Sinus iR380 auto

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NCX EB-DLO-CTS, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Enviolo TR
Schalthebel / Shift lever	Enviolo automatic, wireless, twist shifter
Zahnkranz (hinten) / Sprocket	Gates sprocket, 24 teeth
Kette / Chain	Gates CarbonDrive
Kettenblatt / Chainring	aluminium, Gates, 50
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	Enviolo TR
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Myc, 50 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	26.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28"

2

ARTIKELNUMMER / ORDER NUMBER

Monotube	28"	46 cm	4432508046	dark pine
Monotube	28"	50 cm	4432508050	dark pine
Monotube	28"	54 cm	4432508054	dark pine

SINUS

Sinus iR8

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	Gates sprocket, 24 teeth
Kette / Chain	Gates CarbonDrive
Kettenblatt / Chainring	aluminium, Gates, 50
Bremshebel / Brake lever	Shimano T445, aluminium
Bremse vorne / Brake front	Shimano M445, 160mm
Bremse hinten / Brake rear	Shimano M445, 160mm, coaster brake
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4437008948	onyx black
Men	28"	52 cm	4437008952	onyx black
Men	28"	56 cm	4437008956	onyx black
Men	28"	60 cm	4437008960	onyx black
Women	28"	44 cm	4437108944	onyx black
Women	28"	48 cm	4437108948	onyx black
Women	28"	52 cm	4437108952	onyx black
Monotube	28"	46 cm	4437508946	onyx black
Monotube	28"	50 cm	4437508950	onyx black
Monotube	28"	54 cm	4437508954	onyx black
Monotube	28"	46 cm	4437908946	modern blue matt
Monotube	28"	50 cm	4437908950	modern blue matt
Monotube	28"	54 cm	4437908954	modern blue matt

SINUS

Sinus iR8f

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	Gates sprocket, 24 teeth
Kette / Chain	Gates CarbonDrive
Kettenblatt / Chainring	aluminium, Gates, 50
Bremshebel / Brake lever	Shimano T445, aluminium
Bremse vorne / Brake front	Shimano M445, 160mm
Bremse hinten / Brake rear	Shimano M445, 160mm
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	28"	46 cm	4438908946	modern blue matt
Monotube	28"	50 cm	4438908950	modern blue matt
Monotube	28"	54 cm	4438908954	modern blue matt
Men	28"	48 cm	4438008948	onyx black
Men	28"	52 cm	4438008952	onyx black
Men	28"	56 cm	4438008956	onyx black
Men	28"	60 cm	4438008960	onyx black
Women	28"	44 cm	4438108944	onyx black
Women	28"	48 cm	4438108948	onyx black
Women	28"	52 cm	4438108952	onyx black
Monotube	28"	46 cm	4438508946	onyx black
Monotube	28"	50 cm	4438508950	onyx black
Monotube	28"	54 cm	4438508954	onyx black

SINUS

Sinus iN5

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 5-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	Shimano pinion, 27 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Myc, 50 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | 26"

2

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4439305046	graphite
Monotube	28"	46 cm	4439505046	graphite
Monotube	28"	50 cm	4439505050	graphite
Monotube	28"	54 cm	4439505054	graphite

SINUS

Sinus iN5f

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 5-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	Shimano pinion, 27 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Myc, 50 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | 26"

2

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4440305046	graphite
Monotube	28"	46 cm	4440505046	graphite
Monotube	28"	50 cm	4440505050	graphite
Monotube	28"	54 cm	4440505054	graphite

SINUS

Sinus iN8

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	26.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4435008946	moon grey
Monotube	28"	46 cm	4435208946	moon grey
Monotube	28"	50 cm	4435208950	moon grey
Monotube	28"	54 cm	4435208954	moon grey
Monotube	26"	46 cm	4435408946	white
Monotube	28"	46 cm	4435608946	white
Monotube	28"	50 cm	4435608950	white
Monotube	28"	54 cm	4435608954	white

SINUS

Sinus iN8f

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	26.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4436308946	white
Monotube	28"	46 cm	4436508946	white
Monotube	28"	50 cm	4436508950	white
Monotube	28"	54 cm	4436508954	white
Monotube	26"	46 cm	4436008946	moon grey
Monotube	28"	46 cm	4436208946	moon grey
Monotube	28"	50 cm	4436208950	moon grey
Monotube	28"	54 cm	4436208954	moon grey

SINUS

Sinus iN7

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4433007946	black matt
Monotube	28"	46 cm	4433207946	black matt
Monotube	28"	50 cm	4433207950	black matt
Monotube	28"	54 cm	4433207954	black matt
Monotube	26"	46 cm	4433307946	piemont red
Monotube	28"	46 cm	4433507946	piemont red
Monotube	28"	50 cm	4433507950	piemont red
Monotube	28"	54 cm	4433507954	piemont red

SINUS

Sinus iN7f

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4434307946	piemont red
Monotube	28"	46 cm	4434507946	piemont red
Monotube	28"	50 cm	4434507950	piemont red
Monotube	28"	54 cm	4434507954	piemont red
Monotube	26"	46 cm	4434007946	black matt
Monotube	28"	46 cm	4434207946	black matt
Monotube	28"	50 cm	4434207950	black matt
Monotube	28"	54 cm	4434207954	black matt

SINUS TRIA

Bitte Platz nehmen

Bei der CO2-Bilanz von E-Bikes müssen auch die Emissionen berücksichtigt werden, die bei der Herstellung und Entsorgung des Akkus entstehen. Die gute Nachricht: Sie sind bereits nach rund 100 Kilometern Fahrt, die man per Elektrofahrrad statt mit einem Auto zurücklegt, ausgeglichen*. Und wenn das Bike dann auch noch so bequem und komfortabel ist wie unsere SINUS TRIA Modelle mit tiefem Durch-stieg, aufrechter Sitzposition und Rücktrittbremse, können einem selbst Gegenwind und Anstiege nichts anhaben.

Please take a seat

A life cycle assessment of the CO2 footprint of e-bikes must consider the emissions that occur in manufacturing and battery disposal. The good news: These emissions are already offset after around 100 kilometers of riding a bicycle instead of driving a car. Even a head wind or hill doesn't bother the rider when the bike has a design that offers as much comfort and convenience as our SINUS TRIA models with their low step-through, vertical seating position and coasterbrakes.*

*www.mein-klimaschutz.de

SI
NUS
TRIA

SINUS TRIA

KEY FEATURES

- Steifer Rahmen, breite Reifen und niedriger Schwerpunkt
- Ausgezeichnet mit Design Awards
- Zuverlässige Motoreinheiten
- Aufrechte Sitzposition & verstellbarer Vorbau

BENEFITS

- super sicheres/stabiles Fahrgefühl
- Zuverlässige/evergreen Plattform
- Lange Lebensdauer, niedriger Wartungsaufwand
- Bequemes Fahrgefühl für mittellange & lange Strecken

KEY *FEATURES*

- *Stiff frame, wide tires and low gravity center*
- *Proven by design awards*
- *Reliable motor units*
- *Upright riding position & adjustable stem*

BENEFITS

- *Super safe/stable riding feeling*
- *Reliable/evergreen platform*
- *Long lifetime, less service*
- *Comfort riding feeling for mid & long distances*

SINUS

Sinus Tria 10

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Deore T6000, 10-speed
Schalthebel / Shift lever	Shimano Deore T6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Delta Cruiser Plus, 47-622, puncture protection / Schwalbe Delta Cruiser Plus, 47-559, puncture protection
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	aluminium hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime Tria, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4428010048	graphite
Men	28"	52 cm	4428010052	graphite
Men	28"	56 cm	4428010056	graphite
Men	28"	60 cm	4428010060	graphite
Women	28"	44 cm	4428110044	graphite
Women	28"	48 cm	4428110048	graphite
Women	28"	52 cm	4428110052	graphite
Women	28"	56 cm	4428110056	graphite
Monotube	28"	46 cm	4428510046	graphite
Monotube	28"	46 cm	4428710046	graphite
Monotube	28"	50 cm	4428710050	graphite
Monotube	28"	54 cm	4428710054	graphite

SINUS

Sinus Tria 9

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Alivio T4000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-34 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	23.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh **BOSCH** **28”**

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4424009948	black matt
Men	28"	52 cm	4424009952	black matt
Men	28"	56 cm	4424009956	black matt
Men	28"	60 cm	4424009960	black matt
Women	28"	44 cm	4424109944	black matt
Women	28"	48 cm	4424109948	black matt
Women	28"	52 cm	4424109952	black matt
Monotube	28"	46 cm	4424309946	black matt
Monotube	28"	46 cm	4424509946	black matt
Monotube	28"	50 cm	4424509950	black matt
Monotube	28"	54 cm	4424509954	black matt
Women	28"	44 cm	4425109944	glaze red
Women	28"	48 cm	4425109948	glaze red
Women	28"	52 cm	4425109952	glaze red
Monotube	28"	46 cm	4425309946	glaze red
Monotube	28"	46 cm	4425509946	glaze red
Monotube	28"	50 cm	4425509950	glaze red
Monotube	28"	54 cm	4425509954	glaze red

SINUS

Sinus Tria 8

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Acera M360, 8-speed
Schalthebel / Shift lever	Shimano Altus M310, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM55, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Bassano Volare City XL
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	23.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	28"	46 cm	4422308946	dullgray matt
Monotube	28"	46 cm	4422508946	dullgray matt
Monotube	28"	50 cm	4422508950	dullgray matt
Monotube	28"	54 cm	4422508954	dullgray matt
Monotube	28"	46 cm	4423308946	sandstone
Monotube	28"	46 cm	4423508946	sandstone
Monotube	28"	50 cm	4423508950	sandstone
Monotube	28"	54 cm	4423508954	sandstone

SINUS

Sinus Tria 7eco

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch compact charger 2A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Altus M310, 7-speed
Schalthebel / Shift lever	Shimano Altus M310, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM40, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Tektro T285, aluminium
Bremse vorne / Brake front	Tektro T285, 180mm
Bremse hinten / Brake rear	Tektro T285, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	22.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 28" | 26" | 2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4420007848	black
Men	28"	52 cm	4420007852	black
Men	28"	56 cm	4420007856	black
Men	28"	60 cm	4420007860	black
Women	28"	44 cm	4420107844	black
Women	28"	48 cm	4420107848	black
Women	28"	52 cm	4420107852	black
Monotube	28"	46 cm	4420307846	black
Monotube	28"	46 cm	4420507846	black
Monotube	28"	50 cm	4420507850	black
Monotube	28"	54 cm	4420507854	black
Women	28"	44 cm	4421107844	white
Women	28"	48 cm	4421107848	white
Women	28"	52 cm	4421107852	white
Monotube	28"	46 cm	4421307846	white
Monotube	28"	46 cm	4421507846	white
Monotube	28"	50 cm	4421507850	white
Monotube	28"	54 cm	4421507854	white

SINUS

Sinus Tria N8

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 47-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | 26"

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4417108846	black matt
Monotube	28"	46 cm	4417308846	black matt
Monotube	28"	50 cm	4417308850	black matt
Monotube	28"	54 cm	4417308854	black matt
Monotube	26"	46 cm	4417408046	oliv
Monotube	28"	46 cm	4417508046	oliv
Monotube	28"	50 cm	4417508050	oliv
Monotube	28"	54 cm	4417508054	oliv

SINUS

Sinus Tria N8f

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 47-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4418108846	black matt
Monotube	28"	46 cm	4418308846	black matt
Monotube	28"	50 cm	4418308850	black matt
Monotube	28"	54 cm	4418308854	black matt
Monotube	26"	46 cm	4418408046	oliv
Monotube	28"	46 cm	4418508046	oliv
Monotube	28"	50 cm	4418508050	oliv
Monotube	28"	54 cm	4418508054	oliv

SINUS

Sinus Tria N7

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4412707846	white
Monotube	28"	46 cm	4412907846	white
Monotube	28"	50 cm	4412907850	white
Monotube	28"	54 cm	4412907854	white
Monotube	26"	46 cm	4412107046	midnight blue
Monotube	28"	46 cm	4412307046	midnight blue
Monotube	28"	50 cm	4412307050	midnight blue
Monotube	28"	54 cm	4412307054	midnight blue

SINUS

Sinus Tria N7f

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4414107046	midnight blue
Monotube	28"	46 cm	4414307046	midnight blue
Monotube	28"	50 cm	4414307050	midnight blue
Monotube	28"	54 cm	4414307054	midnight blue
Monotube	26"	46 cm	4414707046	white
Monotube	28"	46 cm	4414907046	white
Monotube	28"	50 cm	4414907050	white
Monotube	28"	54 cm	4414907054	white

SINUS

Sinus Tria N7 eco

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.4kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 28" | 26"

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4410107846	onyx black
Monotube	28"	46 cm	4410307846	onyx black
Monotube	28"	50 cm	4410307850	onyx black
Monotube	28"	54 cm	4410307854	onyx black
Monotube	26"	46 cm	4410707046	burgundy red matte
Monotube	28"	46 cm	4410907046	burgundy red matte
Monotube	28"	50 cm	4410907050	burgundy red matte
Monotube	28"	54 cm	4410907054	burgundy red matte

SINUS

Sinus Tria N7f eco

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.4kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4411107846	onyx black
Monotube	28"	46 cm	4411307846	onyx black
Monotube	28"	50 cm	4411307850	onyx black
Monotube	28"	54 cm	4411307854	onyx black
Monotube	26"	46 cm	4411707046	burgundy red matte
Monotube	28"	46 cm	4411907046	burgundy red matte
Monotube	28"	50 cm	4411907050	burgundy red matte
Monotube	28"	54 cm	4411907054	burgundy red matte

SIMA

Einfach ist das neue chic

Unsere Welt scheint immer komplexer zu werden. Die Digitalisierung sorgt für eine unübersichtliche Menge an Informationen, die tagtäglich auf uns einströmen. Selbst der Kühlschrank will verstanden werden, bevor er uns daran erinnert, dass wir Milch kaufen müssen. Schön, dass es auch noch einfache Lösungen gibt. Für unsere SIMA Modelle braucht niemand Gebrauchsanweisungen zu studieren. Die Räder sind perfekte City E-Bikes für den Weg durch die Stadt oder zur Arbeit. Für kleine Abstecher ins Grüne oder Ausfahrten ins Blaue. Der am Sitzrohr platzierte Akku sorgt für einen mittigen Schwerpunkt und ein angenehmes Fahrgefühl, das zusätzlich durch den tiefen Durchstieg und die Feder-gabel unterstützt wird.

Simplicity is the new chic

Our world seems to be growing increasingly more complex. Digitalization generates incredible volumes of information that flow into our lives every day. Even the refrigerator wants information and our attention when it reminds us to shop for milk. It's nice that there are simple solutions too. No one has to study an operating manual to use one of our SIMA models. These wheels are perfect city e-bikes for riding through urban areas or commuting to work. For short excursions to a green belt or adventures into the wild blue yonder. The battery mounting position on the seat tube centralizes the bike's center of gravity for a pleasant feeling while riding, which is further enhanced by the low step-through and the front fork suspension.


SIMA

SIMA

KEY FEATURES

- Niedriger Schwerpunkt
- Breiter Einstieg
- Bewährte Motoren
- Aufrechte Sitzposition
- AVS Trägersystem

BENEFITS

- Super sicheres/stabiles Fahrverhalten
- Leichter Einstieg
- Lange Lebensdauer, geringer Wartungsaufwand
- Bequemes Fahrgefühl für mittellange & lange Strecken
- Leichtes Befestigen von Zubehör (individuell je nach Kundenwunsch)

KEY FEATURES

- *Low CoG*
- *Wide "entrance"*
- *Proven motors*
- *Upright riding position*
- *AVS carrier*

BENEFITS

- *Super safe/stable riding feeling*
- *Easy Access*
- *Long lifetime, less service*
- *Comfort riding feeling for mid & long distances*
- *Easy accessory-mount (and personalizing to the consumer usage)*

Sima 7 400

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch compact charger 2A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Altus M310, 7-speed
Schalthebel / Shift lever	Shimano Altus M310, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM40, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T285, aluminium
Bremse vorne / Brake front	Tektro T285, 180mm
Bremse hinten / Brake rear	Tektro T285, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Citylenker 610mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar
Steuersatz / Headset	1 1/8" Semi Integrated
Sattel / Saddle	Selle Royal Star
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E857, non-slip, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	AtranVelo Sima
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	23.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4403707846	glaze red
Monotube	28"	46 cm	4403907846	glaze red
Monotube	28"	50 cm	4403907850	glaze red
Monotube	28"	54 cm	4403907854	glaze red
Monotube	26"	46 cm	4403107846	black matt
Monotube	28"	46 cm	4403307846	black matt
Monotube	28"	50 cm	4403307850	black matt
Monotube	28"	54 cm	4403307854	black matt

SIMA

Sima N7 Plus 500

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour CR85 E25, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Citylenker 610mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar
Steuersatz / Headset	1 1/8" Semi Integrated
Sattel / Saddle	Selle Royal Star
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Blueline, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	AtranVelo Sima
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4408007846	glaze red
Monotube	28"	46 cm	4408207846	glaze red
Monotube	28"	50 cm	4408207850	glaze red
Monotube	28"	54 cm	4408207854	glaze red
Monotube	26"	46 cm	4408507846	black matt
Monotube	28"	46 cm	4408707846	black matt
Monotube	28"	50 cm	4408707850	black matt
Monotube	28"	54 cm	4408707854	black matt

Sima N7 400

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch compact charger 2A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour CR85 E25, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Citylenker 610mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar
Steuersatz / Headset	1 1/8" Semi Integrated
Sattel / Saddle	Selle Royal Star
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E857, non-slip, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	AtranVelo Sima
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4405707846	white
Monotube	28"	46 cm	4405907846	white
Monotube	28"	50 cm	4405907850	white
Monotube	28"	54 cm	4405907854	white
Monotube	26"	46 cm	4405107846	black matt
Monotube	28"	46 cm	4405307846	black matt
Monotube	28"	50 cm	4405307850	black matt
Monotube	28"	54 cm	4405307854	black matt

SIMA

Sima N7f 400

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch compact charger 2A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour CR85 E25, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Citylenker 610mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar
Steuersatz / Headset	1 1/8" Semi Integrated
Sattel / Saddle	Selle Royal Star
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E857, non-slip, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	AtranVelo Sima
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 28" | 26"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4406107846	black matt
Monotube	28"	46 cm	4406307846	black matt
Monotube	28"	50 cm	4406307850	black matt
Monotube	28"	54 cm	4406307854	black matt
Monotube	28"	46 cm	4406707846	white
Monotube	28"	46 cm	4406907846	white
Monotube	28"	50 cm	4406907850	white
Monotube	28"	54 cm	4406907854	white

SIMA

YAKUN

Bereit für Stadt, Land und Fluss

Auf breiten 27,5-Zoll-Reifen querfeldein oder in Nullkommanichts zur Arbeit: E-Bikes sind nicht nur gut für die Umwelt, sondern gerade auf kurzen Strecken bis 10 km das schnellste aller Fortbewegungsmittel. Und was das Beste ist: auch die lästige Parkplatzsuche entfällt. Die neuen YAKUN Modelle bieten für jedes Terrain eine optimale Balance aus Wendigkeit und Rollverhalten. Und ihr kraftvoller Yamaha-Motor entfaltet besonders beim Anfahren und am Berg seine Stärke.

Ready for the city, country and creek

On wide 27.5-inch tires for cross-country riding or to commute to work in practically no time. Not only are e-bikes good for the environment; they are the fastest mode of transportation over short routes of up to 10 km. And the best part is that they eliminate the annoying search for a parking place. The YAKUN models offer an optimal balance of agility and cruising comfort on every terrain. And their powerful Yamaha PW-X motor reveals its strengths especially when starting from a stop and climbing hills.

YA
KUN

YAKUN

KEY FEATURES

- 27.5 Laufräder für agiles Fahrverhalten
- Integrierte Anhängerkupplung
- Max. zulässiges Gesamtgewicht 150kg
- Leistungsstarker PW-X2 Motor

BENEFITS

- Bequemes, sportliches Fahrgefühl
- Leichtes Befestigen von Zubehör
- Geeignet für lange Strecken mit mehr Gepäck
- Leistungsstarke E-Unterstützung auch bei schwerer Beladung

KEY *FEATURES*

- *27.5 wheels for agile riding*
- *Integrated trailer hitch*
- *Max. permissible total weight 150kg*
- *Strong motor PW-X2*

BENEFITS

- *Comfortable, sporty feeling*
- *easy accessory-mount*
- *Usable for long distance with more luggage*
- *Strong e-support even with heavy loads*

YAKUN

Yakun tour

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, Gravity Casting, hydroformed, thru-axle M12 (1.75) x 142mm
Gabel / Fork	SR Suntour Mobie E45 LOR Lockout, air, Travel: 80mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Umwerfer / Front derailleur	Shimano Deore XT T781
Schaltwerk / Rear derailleur	Shimano Deore XT T8000, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, FSA, 36-48
Bremshebel / Brake lever	Magura MT4
Bremse vorne / Brake front	Magura MT4, 180mm
Bremse hinten / Brake rear	Magura MT4, 180mm
Reifen / Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Felgen / Rims	Rodi Black Rock 23, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu disc, thru-axle 15x100
Hinterradnabe / Rear wheel hub	aluminium disc, thru-axle 12x142
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergoriser, oversize 720mm
Griffe / Grips	retro stitched
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Winora Yukon, embossed
Sattelstütze / Seat post	by.schulz G.2, patent suspension, 31.6mm
Pedale / Pedals	VP 469, non-slip
Scheinwerfer / Headlight	Busch & Müller Lumotec IQ-X E, 150 lux
Rücklicht / Rear light	P&W LED mini
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Winora, XLC Carrymore
Schutzbleche / Fenders	double wall, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	150kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 27,5”

2

ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	43 cm	4532020043	gunmetal/black
Men	27.5"	48 cm	4532020048	gunmetal/black
Men	27.5"	53 cm	4532020053	gunmetal/black
Men	27.5"	58 cm	4532020058	gunmetal/black

YUCATAN

Jetzt kann der Berg rufen

Rund um den Globus ziehen Menschen vom Land in die Stadt. Erstmals in der Geschichte lebt heute über die Hälfte der Weltbevölkerung in Städten. Der Platz wird knapp, das Grün rar. Wer freie Wildbahn, Berge, Seen, Wald und Wiesen, kurz: das Weite sucht, muss raus. Raus aus der Stadt und rein ins Vergnügen. Wie gemacht dafür sind die elektrisierten Trekking-Bikes der YUCATAN Serie mit Yamaha Antrieb und einem Gepäckträger, der alles schultert, was man für eine lange Tour braucht.

The mountains can now beckon

Around the globe, people from the country are being drawn to cities. Today, for the first time in history, more than half of the world's population lives in cities. Space is becoming scarce, and greenery is rare. Those seeking to go into the wilderness, mountains, lakes and meadows – i.e. the great expanse – must venture out. Out of the city and into enjoyment. The electrified trekking bikes of the YUCATAN series are made for this – with their Yamaha drives and a carrier that can handle everything that you need for a long tour.


YU
CA
TAN
WINORA

YUCATAN

KEY FEATURES

- Unterschiedliche Akkuoptionen
- Sportliche Motoren
- Racktime Trägersystem

BENEFITS

- Individuelle Auswahl nach Ihren persönlichen Bedürfnissen
- Solides, sportliches Fahrgefühl,
- Einfaches Befestigen von Zubehör (individuell je nach Kundenwunsch)

KEY *FEATURES*

- *Different battery options*
- *Sporty motors*
- *Racktime Carrier System*

BENEFITS

- *Individual choice for your needs*
- *Solid, sporty feeling*
- *Easy accessory-mount (and personalizing to the consumer usage)*

YUCATAN

Yucatan i20

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Deore XT T781
Schaltwerk / Rear derailleur	Shimano Deore XT M781, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 36-48
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Land Cruiser Plus, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	aluminium hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 28"

2

VARIATIONEN / VARIATIONS

YUCATAN

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4466020048	onyx black
Men	28"	52 cm	4466020052	onyx black
Men	28"	56 cm	4466020056	onyx black
Men	28"	60 cm	4466020060	onyx black
Women	28"	44 cm	4466120044	onyx black
Women	28"	48 cm	4466120048	onyx black
Women	28"	52 cm	4466120052	onyx black

YUCATAN

Yucatan i9

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Alivio T4000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2010, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-34 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Land Cruiser Plus, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 28"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4464009048	olive matt
Men	28"	52 cm	4464009052	olive matt
Men	28"	56 cm	4464009056	olive matt
Men	28"	60 cm	4464009060	olive matt
Women	28"	44 cm	4464109044	olive matt
Women	28"	48 cm	4464109048	olive matt
Women	28"	52 cm	4464109052	olive matt
Monotube	28"	46 cm	4464709046	olive matt
Monotube	28"	50 cm	4464709050	olive matt
Monotube	28"	54 cm	4464709054	olive matt

Yucatan i8

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 400Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 63mm, steel steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Shimano Acera M360, 8-speed
Schalthebel / Shift lever	Shimano Altus M315, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM55, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Land Cruiser Plus, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | YAMAHA | 28"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4461008048	black matt/black gloss
Men	28"	52 cm	4461008052	black matt/black gloss
Men	28"	56 cm	4461008056	black matt/black gloss
Men	28"	60 cm	4461008060	black matt/black gloss
Women	28"	44 cm	4461108044	black matt/black gloss
Women	28"	48 cm	4461108048	black matt/black gloss
Women	28"	52 cm	4461108052	black matt/black gloss
Monotube	28"	46 cm	4461708046	black matt/black gloss
Monotube	28"	50 cm	4461708050	black matt/black gloss
Monotube	28"	54 cm	4461708054	black matt/black gloss

YUCATAN

Yucatan 8

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 400Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Altus M310, 8-speed
Schalthebel / Shift lever	Shimano Altus M315, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM55, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Land Cruiser Plus, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP J303PES
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | YAMAHA | 28"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4460008048	black matt
Men	28"	52 cm	4460008052	black matt
Men	28"	52 cm	4460008056	black matt
Men	28"	60 cm	4460008060	black matt
Women	28"	44 cm	4460108044	black matt
Women	28"	48 cm	4460108048	black matt
Women	28"	52 cm	4460108052	black matt
Monotube	28"	46 cm	4460708046	black matt
Monotube	28"	50 cm	4460708050	black matt
Monotube	28"	54 cm	4460708054	black matt

Yucatan iR8f

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-TE System, 250W, 60Nm
Display	Yamaha Multi Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, Nut type axle, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	Gates sprocket, 24 teeth
Kette / Chain	Gates CarbonDrive
Kettenblatt / Chainring	aluminium, Gates, 50
Bremshebel / Brake lever	Shimano T445, aluminium
Bremse vorne / Brake front	Shimano M445, 160mm
Bremse hinten / Brake rear	Shimano M445, 160mm
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 28"

2

ARTIKELNUMMER / ORDER NUMBER

Monotube	28"	46 cm	4452708946	grey matt
Monotube	28"	54 cm	4452708950	grey matt
Monotube	28"	50 cm	4452708954	grey matt

YUCATAN

Yucatan iN7f

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-TE System, 250W, 60Nm
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, Nut type axle, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 63mm, steel steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT201, aluminium
Bremse vorne / Brake front	Shimano MT200, 160mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmanns H-Black MR4, 40 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	23.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 28”

2

ARTIKELNUMMER / ORDER NUMBER

Monotube	28"	46 cm	4450707946	modern blue
Monotube	28"	50 cm	4450707950	modern blue
Monotube	28"	54 cm	4450707954	modern blue

RADIUS

20 Zoll für den Großstadtdschungel

Neben zahlreichen anderen Aspekten ist vor allem der Platzmangel ein Nebeneffekt der weltweit rasant wachsenden Städte. Hier machen sich intelligente Lösungen bezahlt. Wie etwa das Winora RADIUS mit seinem leistungsstarken Yamaha-Motor. Der Lenker ist einfach um 90° umklappbar und die Pedale sind einklappbar. Das geringe Gewicht und der Tragegriff aus der Verbindung von Ober- und Sitzrohr erleichtern das Transportieren. Aber eigentlich will man es am liebsten fahren. »Dieses Fahrrad ist ein Go-Kart«, meint auch die Presse. Klein, wendig, spaßig, flink und eben extrem praktisch.

20-inch wheels for the big city environment

Along with numerous other aspects, it is the scarcity of space that is the primary effect of the rapid growth of cities worldwide. Intelligent solutions pay off here. Like the Winora RADIUS with its powerful Yamaha motor. For stowing, the handlebars are simply folded 90° and the pedals are folded. Their low weight and the carrying handle formed by the joint of the top tube and seat tube simplifies transport. Actually, the best part is riding it. According media reports: "This bicycle is a go-kart." Small, maneuverable, fun, speedy and extremely practical.

RADIUS

RADIUS

KEY FEATURES

- Sportlicher Yamaha Motor
- Geeignet für 160 – 190cm
- Ausgewogener Schwerpunkt
- Nur 22,5kg

BENEFITS

- Agiles, kompaktes Rad mit Go-Kart Gefühl
- Leicht auf Eure Größe einzustellen
- Leichte Handhabung beim Tragen
- Leicht zu tragen

KEY *FEATURES*

- *Sporty Yamaha motor*
- *Fits for 160 – 190cm*
- *Balanced CoG*
- *Only 22,5kg*

BENEFITS

- *Agile compact bike with go-kart feeling*
- *Easy adjustable to your size*
- *Easy handling while carrying*
- *Easy to carry*

RADIUS

radius tour

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, Gravity Casting, hydroformed, Nut type axle, disc brake IS Mount
Gabel / Fork	Aluminum, steerer CroMo 1 1/8", quick release
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 16 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	steel, 52
Bremshebel / Brake lever	Shimano MT400, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 160mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Big Ben, 55-406, reflex
Felgen / Rims	Rodi FW Disc, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Winora Evo disc, quick release axle, CL
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	aluminium Ergoriser
Griffe / Grips	XLC Endorfin lock on grips
Vorbau / Stem	by.schulz Speedlifter twist pro
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Selle Royal Arco
Sattelstütze / Seat post	450 mm, patent, 31.6mm, aluminium
Pedale / Pedals	VP F65 Faltpedal
Scheinwerfer / Headlight	Spanninga Kendo, 15 lux
Rücklicht / Rear light	Busch & Müller Xeltec, LED-rear light in the mudguard
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Kettenschutz / Chain guard	Chainrunner
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	22.3kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 20"

2

ARTIKELNUMMER / ORDER NUMBER

Uni	20"	35 cm	4524808935	black/slate matt

TOUR

Packtasche schon gepackt?

Wie riecht eigentlich der Frühling? Welche Farbe hat der Horizont an einem Nachmittag im September? Wie klingt eine Rohrdommel? Und wann schläft die Krähe? Wer sich mit dem Fahrrad in der Natur bewegt, kann viel erleben. Zudem schüttet unser Körper bereits nach 45 Minuten Serotonin und Endorphin aus, was zu einem absoluten Wohlbefinden führt. »Du kannst nicht unglücklich sein, während du Fahrrad fährst«, sagt ein Sprichwort. Hier ist der Weg das Ziel. Der Ostseeküstenradweg zum Beispiel bietet 270 km Glückshormone, der Ruhrtalradweg 230 km, die große Runde um den Bodensee 250 km, der Elberadweg 297 km und der Donauradweg 326 km.

Have you already packed your bag?

What are the real scents of springtime? What color is the horizon on a September afternoon? What does the song of the bittern sound like? When do crows sleep? People who ride their bicycles in nature can experience a lot. In addition, after just 45 minutes of riding, our bodies secrete serotonin and endorphins, which leads to a euphoric feeling of well-being. As the saying goes: "You simply can't be unhappy while riding a bicycle." Here are some routes for reaching your goal. The Baltic Sea coastal bike path, for instance, offers 270 km of happiness hormones, the Ruhr Valley bike path 230 km, the great loop around Lake Constance 250 km, the Elbe River bike path 297 km and the Donau River bike path 326 km.


TOUR

TOUR

KEY FEATURES

- Solide und bewährte Qualität
- Vielseitige Touren-Sitzposition
- AVS Trägersystem

BENEFITS

- Zuverlässige evergreen Plattform
- Bequemes Fahrgefühl auf mittellangen & langen Strecken
- Leichtes Befestigen von Zubehör (individuell je nach Kundenwunsch)

KEY *FEATURES*

- *Solide and proven quality*
- *Versatile touring position*
- *AVS carrier*

BENEFITS

- *Reliable, evergreen platform*
- *Comfort riding feeling for mid & long distances*
- *easy accessory-mount (and personalizing to the consumer usage)*

Domingo 30Disc

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	SR Suntour NEX DS-HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Deore XT T8000
Schaltwerk / Rear derailleur	Shimano Deore XT T8000, 30-speed
Schalthebel / Shift lever	Shimano Deore T6000, rapidfire
Kettenradgarnitur / Crankset	Shimano Deore XT T8000, aluminium, 26-48 teeth
Innenlager / Bottom bracket	Shimano Deore XT BB70, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-34 teeth
Kette / Chain	KMC X10
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano hub dynamo 3D32
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 620mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Selle Royal Lancia
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Compactline 35 steady, stand light, 35 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano 3D32, 3W
Gepäckträger / Carrier	AtranVelo Tour, AVS
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	16.1kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4078030948	onyx black
Men	28"	52 cm	4078030952	onyx black
Men	28"	56 cm	4078030956	onyx black
Men	28"	60 cm	4078030960	onyx black
Women	28"	44 cm	4078130944	onyx black
Women	28"	48 cm	4078130948	onyx black
Women	28"	52 cm	4078130952	onyx black

TOUR

Domingo 27Disc

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	SR Suntour NEX DS-HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Alivio T4000
Schaltwerk / Rear derailleur	Shimano Deore XT M771, 27-speed
Schalthebel / Shift lever	Shimano Alivio M4000, rapidfire
Kettenradgarnitur / Crankset	Shimano Alivio T4010, aluminium, 26-48 teeth
Innenlager / Bottom bracket	Shimano ES300, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-34 teeth
Kette / Chain	KMC X9
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano hub dynamo 3D32
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 620mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Selle Royal Lancia
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Compactline 35, 35 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano 3D32, 3W
Gepäckträger / Carrier	AtranVelo Tour, AVS
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 05-3
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	16.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4077227948	black matt
Men	28"	52 cm	4077227952	black matt
Men	28"	56 cm	4077227956	black matt
Men	28"	60 cm	4077227960	black matt
Women	28"	44 cm	4077327944	black matt
Women	28"	48 cm	4077327948	black matt
Women	28"	52 cm	4077327952	black matt
Monotube	28"	46 cm	4077927946	black matt
Monotube	28"	50 cm	4077927950	black matt
Monotube	28"	54 cm	4077927954	black matt

TOUR

Domingo 24Disc

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Tourney TY710
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano EF505, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	VP BC73, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Shimano EF505, aluminium
Bremse vorne / Brake front	Shimano EF505, 160mm
Bremse hinten / Brake rear	Shimano EF505, 160mm
Reifen / Tyres	XLC TourX, 42-622, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Hinterradnabe / Rear wheel hub	Shimano TX505-8
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, angle ajustable
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	aluminium, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Alivio T4050, 1.5W
Gepäckträger / Carrier	AtranVelo City, AVS
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	Horn Catena 05-3
Ständer / Stand	Ursus Easy, adjustable
Gewicht / Weight	16.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4074024948	black/red transparent
Men	28"	52 cm	4074024952	black/red transparent
Men	28"	56 cm	4074024956	black/red transparent
Men	28"	60 cm	4074024960	black/red transparent
Men	28"	64 cm	4074024964	black/red transparent
Women	28"	44 cm	4074124944	black/red transparent
Women	28"	48 cm	4074124948	black/red transparent
Women	28"	52 cm	4074124952	black/red transparent
Women	28"	56 cm	4074124956	black/red transparent
Monotube	28"	46 cm	4074324946	black/red transparent
Monotube	28"	50 cm	4074324950	black/red transparent
Monotube	28"	54 cm	4074324954	black/red transparent

TOUR

Domingo 24HS

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY710
Schaltwerk / Rear derailleur	Shimano Altus M310, 24-speed
Schalthebel / Shift lever	Shimano Altus M310, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	VP BC73, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	XLC TourX, 42-622, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano TX 500
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, angle ajustable
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	aluminium, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	AtranVelo City, AVS
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	Horn Catena 05-3
Ständer / Stand	Ursus Easy, adjustable
Gewicht / Weight	16.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4073224948	dark blue/black matt
Men	28"	52 cm	4073224952	dark blue/black matt
Men	28"	56 cm	4073224956	dark blue/black matt
Men	28"	60 cm	4073224960	dark blue/black matt
Men	28"	64 cm	4073224964	dark blue/black matt
Women	28"	44 cm	4073524944	dark blue/black matt
Women	28"	48 cm	4073524948	dark blue/black matt
Women	28"	52 cm	4073524952	dark blue/black matt
Women	28"	56 cm	4073524956	dark blue/black matt
Monotube	28"	46 cm	4073824946	dark blue/black matt
Monotube	28"	50 cm	4073824950	dark blue/black matt

TOUR

Domingo 24

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY710
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano Tourney TX800, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	VP BC73, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Shimano TX800, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	XLC TourX, 42-622, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano TX 500
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, angle ajustable
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	AtranVelo City, AVS
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	Horn Catena 05-3
Ständer / Stand	Ursus Easy, adjustable
Gewicht / Weight	16.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4071024948	olive/black matt
Men	28"	52 cm	4071024952	olive/black matt
Men	28"	56 cm	4071024956	olive/black matt
Men	28"	60 cm	4071024960	olive/black matt
Women	28"	44 cm	4071124944	olive/black matt
Women	28"	48 cm	4071124948	olive/black matt
Women	28"	52 cm	4071124952	olive/black matt
Monotube	28"	46 cm	4071324946	olive/black matt
Monotube	28"	50 cm	4071324950	olive/black matt

TOUR

Domingo 21

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY510
Schaltwerk / Rear derailleur	Shimano TX800, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF40, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	VP BC73, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF40
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	XLC TourX, 42-622, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Comfort bo2
Vorbau / Stem	aluminium, inner clamping, Bar bore: 25.4mm
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	StandWell CS051
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	Horn Catena 05-3
Ständer / Stand	Ursus Easy, adjustable
Gewicht / Weight	16.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4070221948	black/blue matt
Men	28"	52 cm	4070221952	black/blue matt
Men	28"	56 cm	4070221956	black/blue matt
Men	28"	60 cm	4070221960	black/blue matt
Women	28"	44 cm	4070521944	black/blue matt
Women	28"	48 cm	4070521948	black/blue matt
Women	28"	52 cm	4070521952	black/blue matt
Monotube	28"	46 cm	4070721946	black/blue matt
Monotube	28"	50 cm	4070721950	black/blue matt
Women	28"	44 cm	4070821944	tele grey/black
Women	28"	48 cm	4070821948	tele grey/black
Women	28"	52 cm	4070821952	tele grey/black
Monotube	28"	46 cm	4070921946	tele grey/black
Monotube	28"	50 cm	4070921950	tele grey/black

SPORTIVE

Her mit den Schotterwegen

»Das Leben ist wie Fahrrad fahren, um die Balance zu halten musst du in Bewegung bleiben,« wusste schon Albert Einstein. Und wir erlauben uns zu ergänzen: Fahrradfahren macht den Kopf frei, treibt den Puls in die Höhe, kurbelt unseren Stoffwechsel an und kann den Blutdruck senken. Auch Lunge und Gelenke profitieren von den zyklischen Bewegungsabläufen.

Bring on the gravel trails

"Life is like driving a bicycle: to maintain balance you need to stay in motion" is something that Albert Einstein realized. And we want to add this: Bicycle riding frees your mind, elevates your pulse, stokes our metabolism and can reduce blood pressure. The lungs and joints also benefit from cyclic patterns of movement.

SPO
RT-
IVE
WINORA
SPORTIVE

SPORTIVE

KEY FEATURES

- Preis / Leistung
- CrossBike mit Schutzblechen und Licht
- Zuverlässige Domingo Plattform
- Gepäckträgeraufnahmen vorhanden

BENEFITS

- Bewährte Winora Qualität
- Für bessere Sicht
- Bewährtes Handling
- Individuelle Einstellungsmöglichkeiten nach persönlichen Wünschen

KEY *FEATURES*

- *Price / performance*
- *Crossbike with fenders & light*
- *Reliable Domingo platform*
- *Carrier Ready*

BENEFITS

- *Proven quality by Winora*
- *For better visibility*
- *Proven handling*
- *Individual adjustments for individual usage*

Vatoa 27Disc

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, multiformed
Gabel / Fork	SR Suntour NEX HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Acera T3000
Schaltwerk / Rear derailleur	Shimano Alivio T4000, 27-speed
Schalthebel / Shift lever	Shimano EF505, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano M371, aluminium, 26-48 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC X9
Bremshebel / Brake lever	Shimano EF505, aluminium
Bremse vorne / Brake front	Shimano EF505, 160mm
Bremse hinten / Brake rear	Shimano EF505, 160mm
Reifen / Tyres	XLC MountainX, 42-622
Felgen / Rims	X-Pert X6, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Hinterradnabe / Rear wheel hub	Shimano TX505
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Sport bo2 screw grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	CH 9280 Ahead
Sattel / Saddle	Winora Sport
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Dynamo / Dynamo	Shimano Alivio T4050, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4093627948	mysterypearl matt
Men	28"	52 cm	4093627952	mysterypearl matt
Men	28"	56 cm	4093627956	mysterypearl matt
Men	28"	60 cm	4093627960	mysterypearl matt
Women	28"	44 cm	4093727944	mysterypearl matt
Women	28"	48 cm	4093727948	mysterypearl matt
Women	28"	52 cm	4093727952	mysterypearl matt

SPORTIVE

Vatoa 24

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, multiformed
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 63mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY710
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano Tourney TX800, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Shimano TX800, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	XLC MountainX, 42-622
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano TX 500
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Sport bo2 screw grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	CH 9280 Ahead
Sattel / Saddle	Winora Sport
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4093024948	black matt
Men	28"	52 cm	4093024952	black matt
Men	28"	56 cm	4093024956	black matt
Men	28"	60 cm	4093024960	black matt
Women	28"	44 cm	4093124944	black matt
Women	28"	48 cm	4093124948	black matt
Women	28"	52 cm	4093124952	black matt

Vatoa 21

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, multiformed
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 63mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY510
Schaltwerk / Rear derailleur	Shimano TX800, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	XLC MountainX, 42-622
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Sport bo2 screw grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	CH 9280 Ahead
Sattel / Saddle	Winora Sport
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4090221048	black/green
Men	28"	52 cm	4090221052	black/green
Men	28"	56 cm	4090221056	black/green
Men	28"	60 cm	4090221060	black/green
Women	28"	44 cm	4090321044	black/green
Women	28"	48 cm	4090321048	black/green
Women	28"	52 cm	4090321052	black/green

URBAN

Holt euch die Stadt zurück

Nachhaltige Urbanisierung gilt als eine der größten Herausforderungen des 21. Jahrhunderts. Es ist an uns zu überdenken, wie wir unsere Städte gestalten und vor allem: wie wir uns in ihnen fortbewegen wollen. Wer auf dem Weg zur Arbeit Staus und überfüllte U- und S-Bahnen meiden möchte, fährt schon heute längst mit dem Fahrrad. Wichtig dabei ist die richtige Ausrüstung: Helm, Schutz vor Wind und Regen, eine verkehrstaugliche Beleuchtung, ein sicheres Schloss, ein wenig Werkzeug für kleinere Pannen und natürlich: eines unserer ebenso funktionalen wie stylischen URBAN Modelle.

Reclaim the city

Sustainable urbanization is considered one of the greatest challenges of the 21st century. We are faced with the task of rethinking how we design our cities, and above all: we want to be mobile in them. These days, people wanting to avoid traffic jams and overcrowded subways and city trains on their commute have long opted for the bicycle. What is important here is to choose the right equipment: A helmet, wind and rain protection, proper lighting for traffic, a reliable lock, a few tools for minor breakdowns, and of course: one of our URBAN bike models, which are as functional as they are stylish.


URBAN

URBAN

KEY FEATURES

- Kein QR Code
- Elegantes und leichtes Design
- AVS Trägersystem

BENEFITS

- Diebstahlsicherung
- Einfaches Handling für genussvolles Fahren
- Leichtes Befestigen von Zubehör (individuell je nach Kundenwunsch)

KEY *FEATURES*

- *No QR*
- *Sleek & lightweight*
- *AVS carrier*

BENEFITS

- *Prevent theft*
- *Easy handlicng for enjoyable riding*
- *easy accessory-mount (and personalizing to the consumer usage)*

Talparo

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Alivio T4000
Schaltwerk / Rear derailleur	Shimano Deore M591, 27-speed
Schalthebel / Shift lever	Shimano Alivio M4000, rapidfire
Kettenradgarnitur / Crankset	Shimano Alivio T4010, aluminium, 26-48 teeth
Innenlager / Bottom bracket	Shimano ES300, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-34 teeth
Kette / Chain	KMC X9
Bremshebel / Brake lever	Tektro M285, aluminium
Bremse vorne / Brake front	Tektro M285, 180mm
Bremse hinten / Brake rear	Tektro M285, 160mm
Reifen / Tyres	Schwalbe Little Big Ben, 40-622, reflex
Felgen / Rims	Rodi Airline Corsa, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano hub dynamo 3D32
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Dura Cork
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Selle Royal Milo
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Blueline, stand light, 30 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano 3D32, 3W
Gepäckträger / Carrier	AtranVelo Urban, AVS
Schutzbleche / Fenders	Metasol Urban, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	14.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28”

2

ARTIKELNUMMER / ORDER NUMBER

Men	28"	46 cm	4057027846	olive matt
Men	28"	51 cm	4057027851	olive matt
Men	28"	56 cm	4057027856	olive matt
Men	28"	61 cm	4057027861	olive matt

URBAN

Aruba

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Lasco, aluminium, 42 teeth
Innenlager / Bottom bracket	Thun Basic, BSA
Zahnkranz (hinten) / Sprocket	pinion, 21 teeth
Kette / Chain	KMC Z1 Narrow EPT
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	Schwalbe Little Big Ben, 40-622, reflex
Felgen / Rims	Rodi Airline 18x2, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Dura Cork
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Winora Urban Retro
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Blueline, 30 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	Metasol Urban, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	13.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	46 cm	4055008846	iron grey matt
Men	28"	51 cm	4055008851	iron grey matt
Men	28"	56 cm	4055008856	iron grey matt
Men	28"	61 cm	4055008861	iron grey matt
Women	28"	41 cm	4055108841	iron grey matt
Women	28"	46 cm	4055108846	iron grey matt
Women	28"	51 cm	4055108851	iron grey matt

Lane

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, rapidfire
Kettenradgarnitur / Crankset	Lasco, aluminium, 42 teeth
Innenlager / Bottom bracket	Thun Basic, BSA
Zahnkranz (hinten) / Sprocket	pinion, 21 teeth
Kette / Chain	KMC Z1 Narrow EPT
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	Schwalbe Little Big Ben, 40-622, reflex
Felgen / Rims	Rodi Airline 18x2, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Dura Cork
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Selle Royal Milo
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Blueline, 30 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	AtranVelo Urban, AVS
Schutzbleche / Fenders	Metasol Urban, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	14.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	46 cm	4053007846	black matt
Men	28"	51 cm	4053007851	black matt
Men	28"	56 cm	4053007856	black matt
Men	28"	61 cm	4053007861	black matt
Women	28"	41 cm	4053107841	black matt
Women	28"	46 cm	4053107846	black matt
Women	28"	51 cm	4053107851	black matt
Monotube	28"	46 cm	4053707846	black matt
Monotube	28"	50 cm	4053707850	black matt

URBAN

Flitzer

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY710
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano EF500, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano TY501, aluminium, 28-48 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG31, 11-32 teeth
Kette / Chain	KMC X8
Bremshebel / Brake lever	Shimano EF500, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	Schwalbe Little Big Ben, 40-622, reflex
Felgen / Rims	Rodi Airline 18x2, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano TX 800, cassette hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Dura Cork
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Winora Urban Retro
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Blueline, 30 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	Metasol Urban, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	13.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	46 cm	4050024846	onyx black matt
Men	28"	51 cm	4050024851	onyx black matt
Men	28"	56 cm	4050024856	onyx black matt
Men	28"	61 cm	4050024861	onyx black matt
Women	28"	41 cm	4050124841	onyx black matt
Women	28"	46 cm	4050124846	onyx black matt
Women	28"	51 cm	4050124851	onyx black matt

Load

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	HiTen
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Innenlager / Bottom bracket	FAG compact inner bearings, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z610
Kettenblatt / Chainring	steel, FSA, 18
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Marathon Plus, 47-559, puncture protection, reflex
Felgen / Rims	Ryde X-Pace, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	city handlebar
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, inner clamping, Bar bore: 25.4mm
Steuersatz / Headset	VP MH501
Sattel / Saddle	Selle Royal Country
Sattelstütze / Seat post	straight, 28.6mm, aluminium
Pedale / Pedals	FP-920B
Scheinwerfer / Headlight	Trelock Bike-I Retro, 15 lux
Rücklicht / Rear light	Trelock Duo, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Schutzbleche / Fenders	stainless steel
Gewicht / Weight	26.2kg
Zul. Gesamtgewicht / Permitted total weight	140kg
Bicycle type	cargo bike

26”

2

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	48 cm	4059367748	black matt

COMFORT

Das Glück hat Pedale

Der gesellschaftliche Trend zum Cocooning, zum Rückzug ins Private, beeinflusst auch die Dinge, mit denen wir uns umgeben, die wir täglich benutzen und gebrauchen. Bequem sollen sie sein und möglichst komfortabel. Wir wollen uns wohlfühlen. Auch auf dem Fahrrad. Neben dem Wunsch nach Bewegung, Sport und Herausforderungen gibt es auch eine Sehnsucht nach dem Weglassen und dem Vereinfachen. Daran haben sich auch unsere Designer gehalten. Die COMFORT Modelle bestechen durch die Maxime: so viel wie nötig und so wenig wie möglich.

Happiness has pedals

The societal trend towards cocooning, a retreat into the personal sphere, also affects the things that we surround ourselves with – the things we use and need daily. They should be as comfortable and convenient as possible. We want to feel good. On a bicycle too. Along with seeking movement, sports activity and fun challenges, there is also a desire to leave everything behind and to simplify everyday living. Our designers have also followed these principles. The COMFORT models appeal with their goal of offering as much as necessary and as little as possible.

COM
FOR
T
atranvelo

COMFORT

KEY FEATURES

- Preis / Leistung City Bikes
- Aufrechte Sitzposition

BENEFITS

- Bewährte Winora Qualität
- Bequemer Fahrkomfort für mittellange & lange Strecken

KEY *FEATURES*

- *Price / performance city bikes*
- *Upright riding position*

BENEFITS

- *Proven quality by Winora*
- *Comfort riding feeling for mid & long distances*

Holiday N7

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour CR 7V-A adjustable, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z30
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	XLC StreetX, 42-622, reflex / XLC StreetX, 47-559, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	city handlebar
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, angle ajustable
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Bassano Volare City XL
Sattelstütze / Seat post	suspension straight, 27.2mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	AXA Mach1
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	17.2kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4063007948	black
Men	28"	52 cm	4063007952	black
Men	28"	56 cm	4063007956	black
Men	28"	60 cm	4063007960	black
Women	28"	44 cm	4063107944	black
Women	28"	48 cm	4063107948	black
Women	28"	52 cm	4063107952	black
Wave	26"	43 cm	4063307943	black
Wave	28"	43 cm	4063507943	black
Wave	28"	48 cm	4063507948	black
Wave	28"	53 cm	4063507953	black
Wave	28"	57 cm	4063507957	black
Monotube	26"	42 cm	4063707942	black
Monotube	28"	45 cm	4063907945	black
Monotube	28"	50 cm	4063907950	black
Monotube	28"	55 cm	4063907955	black
Monotube	26"	42 cm	4064307042	lime
Monotube	28"	45 cm	4064507045	lime
Monotube	28"	50 cm	4064507050	lime
Monotube	28"	55 cm	4064507055	lime

COMFORT

Hollywood N7

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Zoom Enjoy, steel spring, Travel: 30mm
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel, steel, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z30
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	XLC StreetX, 42-622, reflex / XLC StreetX, 47-559, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	city handlebar
Griffe / Grips	ergonomic grips
Vorbau / Stem	aluminium, inner clamping, Bar bore: 25.4mm
Steuersatz / Headset	VP MH308E
Sattel / Saddle	Selle Royal Star
Sattelstütze / Seat post	straight, 30.4mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	AXA Mach1
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	16.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	42 cm	4062307942	black matt
Monotube	28"	45 cm	4062507945	black matt
Monotube	28"	50 cm	4062507950	black matt
Monotube	28"	55 cm	4062507955	black matt
Monotube	26"	42 cm	4062707942	white
Monotube	28"	45 cm	4062907945	white
Monotube	28"	50 cm	4062907950	white
Monotube	28"	55 cm	4062907955	white

Weekday

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, multiformed
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z30
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	XLC StreetX, 42-622, reflex / XLC StreetX, 47-559, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	city handlebar
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, inner clamping, Bar bore: 25.4mm
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Bassano Volare City XL
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	AXA Mach1
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	16.4kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"

2

ARTIKELNUMMER / ORDER NUMBER

Ultralow	26"	42 cm	4061103942	darkblue
Ultralow	28"	46 cm	4061303946	darkblue
Ultralow	28"	52 cm	4061303952	darkblue

KIDS / ATB

Hoffentlich ist es noch weit

Kinder- und Jugendräder zu entwickeln, liegt in unserer DNA. Engelbert Wiener, der Gründer von Winora, baute 1921 von Hand die ersten Fahrräder für seine Töchter Thea und Martha. Dies war eine kleine Sensation, denn es gab zu dieser Zeit noch keine Serienfahrräder für Kinder und Jugendliche. Wiener wollte ganz einfach, dass auch seine beiden Töchter sich eigenständig auf zwei Rädern fortbewegen und das wunderbare Gefühl des Radfahrens erleben konnten – ganz ohne Stützräder. In dieser Tradition stehen auch unsere Bikes für Kinder und Jugendliche: bereit für kleine und große Entdeckungstouren.

How much further is it?

It is part of our DNA to develop bicycles for children and youth. Engelbert Wiener, the founder of Winora, built his first bicycles by hand in 1921 for his daughters Thea and Martha. This caused a minor sensation, because there were still no production bicycles for children or youth in those days. Quite simply, Wiener wanted to have his two daughters be able to ride independently on two wheels and experience the wonderful feeling of bicycling – without any training wheels. The bikes we offer for children and youth today follow in this tradition; they are bikes that are ready for short and long tours of discovery.


KIDS
ATB

ATB / KIDS

KEY FEATURES

- Unisex & Plattform mit tiefem Einstieg
- Bessere Bodenfreiheit
- Sichere Lichtanlage mit Dynamo und LED
- Leicht (kundenspezifischer Rohrsatz nach Größe)

BENEFITS

- Vermeidung von Verletzungen
- Mehr Sicherheit im Straßenverkehr
- Wartungsfrei
- Das Rad, das mit Ihrem Kind mitwächst

KEY *FEATURES*

- *Unisex & lowstep platform*
- *Improved clearance*
- *Safe light system with dynamohub and LED*
- *Lightweight (custom tubing by size)*

BENEFITS

- *Avoid injuries*
- *More safety in traffic*
- *Maintenance free*
- *The bike that grows with your kid*

Rage 26

TOP RANGE

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ31, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Trelock LS 633, LED-rear light, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

ATB	26"	35 cm	4044021935	black matt
ATB	26"	40 cm	4044021940	black matt
ATB	26"	45 cm	4044021945	black matt
ATB	26"	50 cm	4044021950	black matt
ATB	26"	35 cm	4044121935	platinum blue
ATB	26"	40 cm	4044121940	platinum blue
ATB	26"	45 cm	4044121945	platinum blue
ATB	26"	50 cm	4044121950	platinum blue

KIDS

Rage 24

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Trelock LS 633, LED-rear light, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	12.8kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4023221932	blue
ATB	24"	32 cm	4023021932	olive matt

Rage 20

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltwerk / Rear derailleur	Shimano TZ500, 6-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Prowheel, steel, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1382, 50-406, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Trelock LS 633, LED-rear light, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	10.9kg
Zul. Gesamtgewicht / Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

ATB	20"	27 cm	4013006927	red
ATB	20"	27 cm	4013206927	onyx black matt

Rage 16

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Kettenradgarnitur / Crankset	32 teeth
Innenlager / Bottom bracket	VP BC73, BSA
Zahnkranz (hinten) / Sprocket	pinion, 18 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	kids brake lever, adjustable grip width, adjustable grip width
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	-, coaster brake
Reifen / Tyres	CST C-1382N, 57-305
Felgen / Rims	XLC Strong, aluminium
Vorderradnabe / Front wheel hub	SF HB29
Hinterradnabe / Rear wheel hub	KT coaster brake hub
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	CH 281
Sattel / Saddle	Winora Kid S
Sattelstütze / Seat post	integrated in the saddle, 27.2mm
Pedale / Pedals	kids' pedal plastic, non-slip
Schutzbleche / Fenders	plastic
Kettenschutz / Chain guard	Hebie Chainlooper
Gewicht / Weight	8.5kg
Zul. Gesamtgewicht / Permitted total weight	45kg
Bicycle type	bikes for kids and teenagers

16”

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

ATB	16"	21 cm	4003201921	lime
ATB	16"	21 cm	4003401921	purple

Rage 12

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Bremse hinten / Brake rear	-
Reifen / Tyres	CY H506, 47-203
Felgen / Rims	XLC CY, aluminium
Vorderradnabe / Front wheel hub	SF HB29
Hinterradnabe / Rear wheel hub	SF HB29
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	CH 281
Sattel / Saddle	Winora Kid S
Sattelstütze / Seat post	integrated in the saddle, 27.2mm
Gewicht / Weight	4.4kg
Zul. Gesamtgewicht / Permitted total weight	30kg
Bicycle type	training bike for kids

12“

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

ATB	12"	15 cm	4001200915	cyan matt
ATB	12"	15 cm	4001400915	hot pink

ATB

Dash 26 7-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	16.4kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26”

2

ARTIKELNUMMER / ORDER NUMBER

ATB	26"	35 cm	4043267935	anthracite
ATB	26"	40 cm	4043267940	anthracite
ATB	26"	45 cm	4043267945	anthracite
ATB	26"	50 cm	4043267950	anthracite

ATB

Dash 26 21-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ31, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26”

2

VARIATIONEN / VARIATIONS

KIDS / ATB

ARTIKELNUMMER / ORDER NUMBER

ATB	26"	35 cm	4043021935	anthracite
ATB	26"	40 cm	4043021940	anthracite
ATB	26"	45 cm	4043021945	anthracite
ATB	26"	50 cm	4043021950	anthracite
ATB	26"	35 cm	4043121935	darkblue
ATB	26"	40 cm	4043121940	darkblue
ATB	26"	45 cm	4043121945	darkblue
ATB	26"	50 cm	4043121950	darkblue

KIDS

Dash 24 7-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15.5kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24”

2

ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4022007932	lime matt

Dash 24 3-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.9kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24”

2

ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4022003932	lime matt

KIDS

Dash 24 21-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ31, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4022221932	white
ATB	24"	32 cm	4022021932	lime matt

Dash 20 3-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382, 50-406, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	13.4kg
Zul. Gesamtgewicht / Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20”

2

VARIATIONEN / VARIATIONS

ARTIKELNUMMER / ORDER NUMBER

ATB	20"	27 cm	4012003927	ocean blue matt
ATB	20"	27 cm	4012203927	white

ATB

Chica 26 7-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26”

2

ARTIKELNUMMER / ORDER NUMBER

ATB	26"	38 cm	4042707938	black matt
ATB	26"	44 cm	4042707944	black matt

ATB

Chica 26 3-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26”

2

ARTIKELNUMMER / ORDER NUMBER

ATB	26"	38 cm	4042703938	black matt
ATB	26"	44 cm	4042703944	black matt

ATB

Chica 26 21-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ31, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26”

2

ARTIKELNUMMER / ORDER NUMBER

ATB	26"	38 cm	4042721938	onyx black matt
ATB	26"	44 cm	4042721944	onyx black matt

Chica 24 7-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.7kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24”

2

ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4021507932	cyan matt

KIDS

Chica 24 3-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	13.9kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24”

2

ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4021503932	cyan matt

Chica 24 21-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ31, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.2kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24”

2

ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4021521932	pearl white

KIDS

Chica 20 3-Gang

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382, 50-406, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	12.5kg
Zul. Gesamtgewicht / Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20”

2

ARTIKELNUMMER / ORDER NUMBER

ATB	20"	27 cm	4011703927	neon pink

FAHRZEUGKATEGORIEN
CATEGORIES OF VEHICLES

Fahrzeuge der Kategorie 0 sind in der Regel Kinderspielräder 12" und Kinderräder 12" und 16".
Vehicles in category 0 are usually 12" children's play bikes and 12" and 16" children's bikes.

Fahrzeuge der Kategorie 1 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Rennrad oder Fitness Bike (Urban Bike).
Vehicles in category 1 are usually bikes, Pedelecs and S-Pedelecs that are racing bikes or fitness bikes (urban bikes).

Fahrzeuge der Kategorie 2 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs City-, Trekking-, Cross-Trekking- oder Lastenrad, außerdem Jugendräder 24" und Kinderräder 20".
Vehicles in category 2 are usually bikes, Pedelecs and S-Pedelecs that are city, trekking, cross-trekking or cargo bikes, as well as 24" bikes for young people and 20" children's bikes.

Fahrzeuge der Kategorie 3 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Cross Country, Marathon und Tour, sowie Fahrräder aus den Bereichen Cyclo-Cross und All Track.
Vehicles in category 3 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for cross country, marathon and tour riding, as well as all Cyclo-Cross and All Track bikes.

Fahrzeuge der Kategorie 4 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Allmountain.
Vehicles in category 4 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for all mountain riding.

Fahrzeuge der Kategorie 5 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Enduro/Freeride/Downhill.
Vehicles in category 5 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for Enduro, Freeride and Downhill riding.

Bitte lesen Sie die Betriebsanleitungen.
Please read the operating instructions.